

2025 Product Catalog





Table of Contents

MagnaVault TL30 High Security safes with 2 hour fire protection
MagnaVault MVEX BF Security safes with 105 minutes of fire protectionPage 4
Dyna Vault FB Security safes with 75 minutes of fire protectionPage 5
Rockies BF Security gun safes with 2 hour fire protectionPage 6
BlackHills BF Security gun safes with 1 ¹ / ₂ hour fire protection
Ozarks BF Security gun safes with ¹ / ₂ hour fire protectionPage 8
Minuteman Fast Access, wall mount rifle/shotgun safes
Cash Vault "B" rated non-depository storage safes
Cash Vault "B" rated front load depository safesPage 11
Cash Vault "B" rated top load and slotted depository safes Page 12
Flame Vault 1 hour fire safes Page 13
Flame Vault 2 hour fire safes Page 14
In-Floor Safes Poly body series Page 15
In-Floor Safes Steel body series Page 16
Miscellaneous Wall and Pharmacy safes, Safe Stands, Jewelry boxes Page 17
LOCKS Combination, Electronic, Key Page 18
Custom Safes Page 19
Hayman Safe Company History, Warranties, Guaranties



Magna Vault TL30



Applying our extensive knowledge of security materials, design and construction we have developed this newest TL30. Superior concepts and a sleek hinge design provide outstanding security, durability and great looks!!



mouor	Outoruo TIXWAD		worgin (ibo)	010	DIIII A	Dim D	Dim U	orour boor oppring
MV30-1114	16 1/2" x 19 3/4" x 19 3/4	11" x 14" x 11 1/2"	480	1815	38"	36 7/16"	12 1/4"	11" x 14"
MV30-2017	25 5/8" x 22 3/8" x 22 3/4"	20" x 17" x 13"	840	4350	43 3/4"	41 15/16"	16 5/16	20" x 17"
MV30-2618	31 1/2" x 23 5/8" x 22 5/8"	26" x 18" x 13"	1115	6020	44 13/16"	44 1/4"	17 5/16"	26" x 18"
MV30-3820	43 3/8" x 25 5/8" x 23 5/8"	38" x 20" x 14"	1470	10,460	47 13/16"	48 1/4"	19 1/4"	38" x 20"
MV30-6126	67" x 32" x 27 1/2"	61 1/2" x 26 1/2" x 18"	2620	28,710	58"	60 5/8"	24 15/16"	61 1/2" x 26 1/2"

*Add 21/4" to the Outside depth for handle clearance

Magna Vault **EX**



Since 2008 this BF safe has been a standard in the marketplace. With over 5/8 of steel (multiple layers) in the whole door, the MVEX provides near TL15 protection at a fraction of the cost. And the $\frac{1}{2}$ tempered glass shelves and "auto-on" LED light create an elegant and usable interior.



MVEX 1512

2.0

MVEX 2116



MVEX 2916



MVEX 3516


- Over <u>5/8</u>" of steel in the door (multiple layers)
- Hardplate protects the entire boltwork
- Additional Hardplate protecting the lock
- Glass Relocker
- Mechanical Relocker
- Very heavy duty boltwork (durable)
- 1/2" tempered glass shelves
- Auto-on, battery powered LED light



Combo or Electronic locks available







Compare to: Amsec - BF series / Hollon - none / Gardall - none

Model	Outside HxWxD	Inside HxWxD	Weight (lbs)	CIC	Dim A	Dim B	**Dim C	Clear Door Opening
MVEX-1512	20 1/4" x 17 1/4" x 18 3/4"	15" x 11 3/4" x 11 5/8"	294	1919	34 1/2"	31 3/8"	11 3/8"	15" x 12"
MVEX-2116	26 3/8" x 21 3/4" x 21 3/4"	21" x 16 1/8" x 14 1/2"	443	4910	42"	40 5/8"	15 5/8"	21" x 16 3/8"
MVEX-2916	34" x 21 3/4" x 21 3/4"	28 3/4" x 16 1/8" x 14 1/2"	570	6606	42"	40 5/8"	15 5/8"	28 3/4" x 16 3/8"
MVEX-3516	40" x 21 3/4" x 21 3/4"	34 5/8" x 16 1/8" x 14 1/8"	666	7886	42"	40 5/8"	15 5/8"	34 5/8" x 16 3/8"
MVEX-4020	45 1/4" x 25 5/8" x 27 1/2"	39 5/8" x 19 5/8" x 20"	920	15553	51 3/4"	48 1/4"	17 3/4"	39 5/8" x 19 5/8"

*Add $2^{1/4}$ " to the Outside depth for handle clearance

Dyna Vault



Combining great fire protection with physical security, the DynaVault series is a great safe for home protection of valuables. With its 1/4" thick steel door face, hardplate protecting the lock and mechanical relocker, you will rest assured your valuables are well protected.



DV 1519



DV 2219



- 1/4" solid steel door
- Hardplate protects the lock
- Mechanical relocker
- 3 way boltwork
- Fabric lined interior and shelves
- 75 minute / 1200° fire protection




We have been doing business as a Premier Dealer of Hayman Safes for over a decade. We consider them a partner in our success due to the quality, features, and attention to detail with every one of the products they offer.

Mark Dawson Dawson Security Group

Combo or Electronic locks available





Compare to: Amsec - CSC series / Hollon - FB series / Gardall - FB series

Model	Outside HxWxD	Inside HxWxD	Weight (lbs)	CIC	Dim A	Dim B	**Dim C	Clear Door Opening
DV-1519	18" x 22" x 20"	14 3/8" x 18" x 13 1/4"	183	3470	39 5/8"	39 3/8"	14 1/4"	12 3/8" x 16 1/4"
DV-2219	25" x 22" x 20"	21" x 18" x 13 1/4"	224	5008	39 5/8"	39 3/8"	14 1/4"	19 5/16" x 16 1/4"
DV-3019	33" x 22" x 20"	29" x 18" x 13 1/4"	279	6772	39 5/8"	39 3/8"	14 1/4"	27 1/4" x 16 1/4"

FB

Security

*Add 21/4" to the Outside depth for handle clearance

ROCKIES Gun Safes

BF (Burglary & Fire)

The Rockies is Hayman's premium gun-safe line for protecting your collection. Developed and manufactured using top of the line materials and components, the Rockies outperforms its competitors at any price. A solid 1/2 thick steel door, formed 3/16 solid steel body and fire protection like no other, the Rockies gun safe will provide you with unprecedented security and peace of mind for generations to come.



RK 5922





RK 6536




RK 7242

- 1/2" steel plate door
- 3/16" steel body
- 1/4" Hardplate
- Secondary mechanical relock system
- Silver/grey powder coat finish
- High end, plush interior fabric 3 or 5 Spoke handle
- · Heavy duty pull handle

LIFETIME GUARANTEE

- Motion activated LED lights 110v and USB power strip
- 1 Year parts & labor warranty



RK 6536



RK 5930

RK 7242

A _____

Compare to: Amsec - BF series / Hollon - none / Gardall - none

120 Minute Protection

Model	Outside HxWxD	Inside HxWxD	Weight (lbs)	CIC	Dim A	Dim B	**Dim C	Clear Door Opening
RK 5922	59" x 22" x 16"	52 1/4" x 16 1/2" x 7 1/2"	610	6466	34 1/4"	36 1/4"	11 1/4"	49 7/8" x 13 5/8"
RK 5930	59" x 30" x 24"	52 1/4" x 24 1/2" x 15 1/2"	970	19,842	49 3/8"	52 1/4"	15 1/4"	49 7/8" x 21 3/4"
RK 6536	65" x 36" x 26"	58 1/4" x 30 3/8" x 18"	1212	31,848	54"	59 1/4"	19 1/4"	53 1/2" x 24 1/2"
RK 7242	72" x 42" x 27"	64 7/8" x 36 3/4" x 17 3/4"	1510	42,320	60 1/2"	71 1/2"	24"	60 1/2" x 30 1/2"

UL RSC

Security

*Add 3" to the Outside depth for handle clearance

BLACKHILLS Gun Safes



The BlackHills gun safe is the feature filled option for all your gun storage needs. This upgraded design is engineered using thicker than average steel in the door and body, multi-layered fire board construction and the ability to hold more than just your firearms. The BlackHills Series will not let you down.

BLACKHILLS

BH 5922




BH 5930



BH 7242


- 3/16" steel plate door
- 1/8" steel body
- 1/4" Hardplate
- Secondary mechanical relock system
- Black powder coat finish
- 3 or 5 Spoke handle
- 1 Year parts & labor warranty



BH 5922




BH 5930



BH 7242





Compare to: Amsec - SF series /	Hollon - CS series /	Gardall - BGF series
---------------------------------	----------------------	----------------------

Model	Outside HxWxD	Inside HxWxD	Weight (lbs)	CIC	Dim A	Dim B	**Dim C	Clear Door Opening
BH 5922	59" x 22" x 16"	53 1/2" x 17 3/4" x 9 1/2"	415	9021	34 3/4"	38"	15 3/8"	51 3/4" x 16 1/8"
BH 5930	59" x 30" x 24"	53 1/2" x 25 7/8" x 16 7/8"	650	23,360	50 1/2"	54"	22 1/4"	51 3/4" x 24 1/8"
BH 7242	72" x 42" x 27"	66 1/2" x 37 3/4" x 19 3/4"	1010	49,580	61 5/8"	68 1/2"	27 7/8"	62" x 32 1/8"

*Add 3" to the Outside depth for handle clearance



The Ozarks gun safe offers good protection from fire and burglary at an affordable price. This entry level gun safe has a flexible interior, is easy to move and install, and has an enhanced door thickness to protect against a forcible entry attempt.



OZ 5518



OZ 5924

- 3/16" steel plate Door
- 14 gauge steel body
- 1/4" Hardplate
- Secondary mechanical relock system
- Black powder coat finish
- 3 Spoke handle
- 1 Year parts & labor warranty

"

Hayman's crew have always helped my company with quick turn around and information when we reach out for it. We appreciate you guys!

Melissa Ridener Collins Lock and Safe, Inc




OZ 5518




OZ 5924





Compare to: Amsec - TF series / Hollon - DOM series / Gardall - GF series

Model	Outside HxWxD	Inside HxWxD	Weight (lbs)	CIC	Dim A	Dim B	**Dim C	Clear Door Opening
OZ 5518	55" x 18" x 16"	53" x 15 1/2" x 10 7/8"	240	8934	30 3/8"	30 1/4"	10 1/2"	47 3/16" x 12 3/16"
OZ 5924	59" x 24" x 18"	56 1/8" x 21 3/16" x 12 3/4"	346	15,162	38 1/2"	42"	15"	53 1/4" x 18 1/4"



Wall Mount Gun Safes

The **Minuteman** gun safe is the right answer for the homeowner looking for a rapid access to their long gun in an emergency. When things go BUMP in the night, THIS is the safe to go to!!!

Commonly mounted in the wall behind the bedroom door the safe is virtually invisible to guests but is immediately available in the middle of the night.



Model	Outside (includes flange)	Outside (excludes flange)	Inside	Weight	CIC	Clear Door Opening	
MM 4814 E	49 1/2" x 17" x 6"	48" x 14 1/4" x 4"	39" x 14" x 3 1/4"	100	1743	11" x 12 1/8"	
MM 5020 E	-	50" x 20" x 12"	39" x 19 5/8" x 9 3/8"	174	7,175	11 1/4" x 15 1/4"	

CASHVAULT

Non Depository Type

For over 50 years Hayman has built the best "B" rated safes in the market. Tough, durable protection for your valuables. These little safes use the same type of protection (hardplate and relocker) found in much more expensive safes.



CV 14





CV 20D





ALL CashVault safes built with:

- Formed, steel body
- 1/2" thick steel door
- Relocker
- Hardplate (except CV H13, SL8 and SL12)
- UL approved lock
- Bolt detent (throws the bolts to the locked position when the door is closed) (except CV H13, SL8 and SL12)

C -





"B" Rate *Security*

Compare to: Amsec - MS series / Hollon - B series / Gardall - LC 1414

Model	Outside HxWxD	Inside HxWxD	Weight (lbs)	CIC	Dim A	Dim B	**Dim C	Clear Door Opening
CV 14	14" x 14" x 14"	13 3/4" x 13 3/8" x 10 3/4"	68	1977	26 7/8"	25 5/8"	7 1/4"	10 1/4" x 10 1/4"
CV 20	20" x 15" x 15"	19 3/4" x 14 3/8" x 11 3/4"	91	3159	29"	28"	9 1/2"	16 1/4" x 11 1/4"
CV 20D	20" x 20 1/2" x 20 1/2"	20 1/4" x 20 1/4" x 18 3/4"	140	7390	41 1/2"	39"	12 1/2"	16 3/4" x 16 3/4"
CV 27	27" x 19" x 17"	26 3/4" x 18 1/2" x 13 3/4"	149	6681	35"	36"	12 1/2"	23 3/8" x 15 1/4"

*Add 21/4" to the Outside depth for handle clearance

CASHVAULT

Depository Front-Loader



For over 50 years Hayman has built the best "B" rated safes in the market. Tough, durable protection for your cash flow management needs. These little safes use the same type of protection (hardplate and relocker) found on much more expensive safes.



CV F20

"

We love our Hayman safes! We love Hayman customer service! Thank's guys and please keep up the good work! We love our partnership with Hayman and would not change a thing!

Wayne Rock American Eagle Locksmith



CV F27



CV F32



CV F30W



CV F30W



CV F30W-2

R


Combo or Electronic locks available



"B" Rate *Security*

Compare to: Amsec - DSF series / Hollon - FD series / Gardall - LCF series

Model	Outside HxWxD	Inside HxWxD	Weight (lbs)	CIC	Dim A	Dim B	**Dim C	Clear Door Opening
CVF20	20" x 14" x 14"	8 1/4" x 13 5/8" x 10 3/4"	90	1213	26 7/8"	25 5/8"	7 1/4"	8 7/8" x 10 1/4"
CV F27	27" x 14" x 14"	15 1/4" x 13 3/8" x 10 5/8"	120	2167	26 3/4"	25 1/2"	7 1/4"	16 1/8" x 10 1/4"
CV F30W	30" x 20" x 20"	18" x 19 1/2" x 16 1/2"	195	5792	39"	38"	11 1/8"	19 1/8" x 16 1/4"
CV F30W ILK	30" x 20" x 20"	5" x 19 1/2" x 14" (Inner Locker)) 223	1391	39"	38"	11 1/8"	11 5/16" x 16 1/4"
		12 3/4" x 19 1/2" x 16 1/2"		4122				
CV F32-2	32 3/4" x 14" x 14"	8 1/2" x 13 7/8" x 10 1/2" (Top)	150	1748	26 3/4"	25 3/4"	7 1/4"	10 1/4" x 10 1/4" (2)
		12" x 13 7/8" x 10 1/2" (Bottom))					
CV F30W-2	30" x 20" x 20"	7 1/4" x 19 7/8" x 16 5/8" (Top)	194	2396	38 3/4"	37 5/8"	13 3/4"	8 7/8" x 16 3/8" (2)
		10 3/8" x 19 7/8" x 16 5/8" (Bottor	m)	3428				




For over 50 years Hayman has built the best "B" rated safes in the market. Tough, durable protection for your cash flow management needs. These little safes use the same type of protection (hardplate and relocker) found on much more expensive safes.



Combo or Electronic locks available in CV H20






Compare to: Amsec - DST/K series / Hollon - RH/HDS series / Gardall - LCR/GTC series

Model	Outside HxWxD	Inside HxWxD	Weight (lbs)	CIC	Dim A	Dim B	**Dim C	Clear Door Opening
CV H13 K	13" x 8 1/4" x 11 3/4"	5 7/8" x 8" x 8 3/4"	42	411	16 3/4"			4 7/8" x 5 1/8"
CV H20	20" x 14" x 14"	12 1/2" x 13 3/4" x 10"	92	1719	26 7/8"	25 5/8"	7 1/4"	9" x 10"
CV SL8 K	8" x 6" x 12"	7 3/4" x 5 3/4" x 10"	18	446	18 1/4"	13 3/4"	-	5" x 5 3/4"
CV SL12 K	12" x 6" x 8"	11" x 5 7/8" x 6 1/4"	20	404	18 1/4"	22 1/2"	-	9 1/4" x 5 3/4"

*Add 21/4" to the Outside depth for handle clearance

FlameVault





FV 132





FV 137

Combo or Electronic locks available





Model	Outside HxWxD	Inside HxWxD	Weight (lbs)	CIC	Dim A	Dim B	**Dim C	Clear Door Opening
FV 132	11 3/4" x 16 1/2" x 14"	8" x 12 3/8" x 9 1/4"	73	916	29 5/8"	31 1/8"	10 3/4"	8" x 12 3/8"
FV 137	13 7/8" x 19 5/16" x 16 3/4"	9 1/8" x 14 7/8" x 12"	115	1628	34 7/8"	36 1/4"	11 1/2"	9 1/8" x 14 7/8"
FV 151	19 1/4" x 13 3/4" x 16 3/4"	14 7/8" x 9 1/4" x 12"	113	1651	29 3/8"	25 1/4"	8"	14 7/8" x 9 1/4"

**Distance from side of safe to adjacent wall to achieve Clear Door Opening

с -

FlameVault

2 hour Fire Safes



Our **2 hr Fire Safes** provide access control with an electronic lock or a mechanical dial with high security key lock. The electronic lock allows fast, easy access and the ability to control the combination yourself. The high security key lock on mechanical models is the same as used on the high end European cars and provides valuable key control in commercial applications.



Combo or Electronic locks available in FV 261 and FV 275, electronic only for FV 288, FV 2100 and FV 2120




- C -

Compare to: Amsec - UL series / Hollon - HS series / Gardall - SS series

Model	Outside HxWxD	Inside HxWxD	Weight (lbs)	CIC	Dim A	Dim B	**Dim C	Clear Door Opening
FV 261	21 5/8" x 19 3/4" x 18 1/2"	16" x 14 1/8" x 12 1/8"	196	2740	36 3/4"	36 3/4"	12 1/8"	16" x 14 1/8"
FV 275	27 13/16" x 20 7/8" x 20"	21 1/4" x 18" x 13 1/2"	254	5164	39 1/2"	39"	12 1/2"	21 1/4" x 15 1/4"
FV 288	32" x 23 1/4" x 20"	26" x 17 1/4" x 13 1/2"	357	6054	42 1/8"	44"	12 3/4"	26 1/8" x 17 1/2"
FV 2100	36 1/2" x 23 5/8" x 20 3/4"	31" x 17 1/2" x 14 5/8"	404	7798	42 5/8"	43 5/8"	13 5/8"	31" x 17 1/2"
FV 2120	44" x 27 9/16" x 24 3/4"	36 3/8" x 20 3/4" x 18"	605	13586	50 1/2"	51 5/8"	13 1/2"	36 3/8" x 20 3/4"

*Add 2" to the Outside depth for handle clearance





SUPERIOR SECURITY. The only surface of the safe available to attack is the door, which has the high- security features.

The benefits of the single piece, molded body are obvious - it will not leak or rust and provides multiple storage benefits.

PATENTS: 5,503,088 and 4,532,870







"

For over five decades, Hayman Safe Company has epitomized reliability and innovation in the realm of safes and security solutions. Their commitment to quality craftsmanship and unwavering dedication to customer satisfaction align seamlessly with Armstrong Lock's core values.

> Beau Armstrong, FCP Armstrong Lock & Security Products

Doors easily lift out without tools

Optional 1" and 1 ¹/₂" thick doors available for FS2300 and FS4000 models

Combo or Electronic locks available






Compare to: Amsec B series / Hollon - B series / Gardall - GB series

					Clear Door Opening (depth & width)		
Model	Outside HxWxD	Inside HxWxD	Weight	CIC	Door removed	Door @ open position	
S1200B	15" x 15" x 10 1/8"	9 3/8" x 14 1/2" x 8 1/8"	47	1104	7 1/4" x 8 3/4"	Lift Off Door	
FS2300B	14 7/8" x 18 1/4" x 15 1/2"	9 1/8" x 17 1/2" x 13 1/8"	84	2096	12 1/4" x 10 3/4"	12 1/4" x 9 1/2"	
FS4000B	20" x 21 3/4" x 15 1/2"	14 1/8" x 21 1/4" x 13 1/2"	96	3940	12 1/4" x 10 3/4"	12 1/4" x 9 1/2"	





SUPERIOR security. The only surface of the safe available to attack is the door, which has the high- security features. The FS steel bodied safes are a great answer for anyone looking for great security and fire protection at an affordable price.

PATENT: 4,532,870





Doors easily lift out without tools

Combo or Electronic locks available

Optional 1" and 1 ¹/₂" thick doors available for all models

"B" Rate Door "C" Rate Optional "E" Rate Optional "E" Rate Optional Security

Compare to: Amsec - B series / Hollon - B series / Gardall - GB series

	,	,			Clear Door Ope	ning (depth & width)
Model	Outside HxWxD	Inside HxWxD	Weight	CIC	Door removed	Door @ open position
FS8B	12 1/4" x 15 3/4" x 14 1/4"	6 1/8" x 13 1/2" x 13 1/4"	98	1096	12 1/4" x 10 3/4"	12 1/4" x 9 1/2"
FS16B	20 1/4" x 15 3/4" x 14 1/4"	14 1/2" x 13 1/4" x 13 1/8"	121	2527	12 1/4" x 10 3/4"	12 1/4" x 9 1/2"
FS16DB	20 1/4" x 29 1/2" x 14 3/8"	14 1/8" x 27 3/8" x 13 1/4"	172	5123	12 1/4" x 10 3/4"	12 1/4" x 9 1/2"
FS16TB	20 1/4" x 43 3/4" x 14 3/8"	14 1/8" x 41 1/4" x 13 1/4"	230	7720	12 1/4" x 10 3/4"	12 1/4" x 9 1/2"

Miscellaneous Safes and Accessories



1/8" body & door 3 way boltwork Relocker Hardplate 7 adj. shelves





PS1000 (Pharmacy safe)



Safe Stand (custom built for each safe model)





WS 7



Jewelry Box w/Trays

Combo or Electronic locks available in PS1000 and WS 6

Model	Outside HxWxD	Inside HxWxD	Weight (lbs)	CIC	Dim A	Dim B	Dim C	**Clear Door Opening
PS 1000	60" x 32" x 16"	59 3/4" x 31 3/8" x 15 1/2"	340	29,057	32 1/2"	61 1/2"	10 ¾"	55" x 27 3/4"
WS 6	13 3/4" x 14" x 7 3/4"	13 3/8" x 13 1/8" x 3"	85	526		-	-	9 1/2" x 12 1/4"
WS 7	*17 3/4" x 16 ½" x 6"	15 1/4" x 14" x 3 1/2"	40	747	-	-	-	14 13/16" x 11 7/16"
Jewelry Box	11 1/2" x 15 3/4" x 10 1/2"	-	16		-		-	-

*Includes flange

Locks



Electronic Locks

Securam Keypads



TopLit





ScanLogic Basic

L02, L22, L66

Time Delay Time/Date Wireless Qty of Fingerprints Total Penalty Dual Disable with Control # events viewable Duress Time Auto Daylight Audit 1-2 second Override Users Lockout User Users of locks on Screen Code Lock Savings Time Download access **SafeLogic** TopLit 2 5 minutes 1 **ProLogic** 30 1 1 4 L02 5 minutes -1 _ _ L22 30 5 minutes 200 1 1 1 4 J -_ _ _ L66 30 5 minutes 1 4 500 1 1 ./ ./ ./ _ **ScanLogic** Basic 3 5 minutes ./ 15

Securam Lock Bodies

EL-0601 Swingbolt EL-0701 Deadbolt

Either of these lock bodies will work with any of the above keypads



Combination Locks

<u>Big Red</u>	
CDL-3-000	Group 2 combination lock body, 3-wheel
DR7114	Dial & Ring - front reading
DR6112	Dial & Ring - top reading (spyproof)
<u>S&G</u>	

 6651
 Group 2M combination lock body, 3-wheel

 D300 & R211
 Dial & Ring - front reading

 D220 & R167
 Dial & Ring - top reading (spyproof)



<u>Bullseye</u> B400

Dual nose safe deposit lock

Customs



Custom "B" Rates, "C" Rates, "E" Rates, Big, Small, Through the Wall Depositories, Large Quantities, One of a Kind. We do it all!





2 DOOR C RATE WITH INNER LOCKER IN UPPER COMPARTMENT, FALSE BACK THAT DEPOSITS INTO LOWER COMPARTMENT





B RATED SAFE WITH 1 HOUR FIRE PROTECTION, BLUE VELOUR INTERIOR, AUTO-ON LEDS AND 5 STEEL SHELVES



CUSTOM SIZED B RATE SAFE



CUSTOM JEWELRY SAFE DRAWER



REAR LOAD, THRU THE WALL DEPOSITORY SAFE



CUSTOM JEWELRY SAFE WITH AUTO-ON LEDS



EXTRA LARGE IN-FLOOR SAFE



REAR LOAD, THRU THE WALL Depository Safe With 2 Combo Locks

HAYMAN SAFE COMPANY was founded in 1971 by Bill Hayman. Located then in South FL, the company has been continuously family-owned by Bill Hayman and now by his son, Gary (both military veterans – Go Navy!) The company grew, and was moved in 1975 from South Florida into larger manufacturing facilities in Central Florida.

In 1982, the first of several patents was developed. This patent was for a unique approach to a floor safe hinge, making the door removable without tools, greatly facilitating flexible use of the safe.

In 1984, as the company continued to grow, it once again needed larger facilities and moved to its current location near Orlando, FL.

Hayman Safe Company has always looked for ways to improve its products. It recognized the issue of installing a steel body floor safe into the ground, which will result in rust problems. Hayman once again came up with a novel approach to in-floor safe design – use plastic! The 2nd patent was awarded in 1996 for a floor safe body formed from polyethylene. Of course, the door and door frame remain solid steel!!

In 1996, Bill was ready to move on and facilitated the transfer of management of the company to his (appreciative!) son, Gary.

In 2016, 2021 and then in 2024, the company expanded its warehouse capacity.

Always forward looking and innovative, Hayman Safe Company will continue to collaborate internally and with our dealers to find answers to the needs of our customers.

ONE YEAR WARRANTY

All Hayman Safe Company products carry a warranty to the original retail purchaser to be free from defects in material and workmanship. Standard production models are warranted for 1 year from the original date of purchase. This warranty applies only to new safes purchased from Hayman Safe Company or its authorized dealers. Proof of purchase must be provided so as to establish date of purchase and supplying dealer.

Hayman Safe Company will, at our option, replace or repair any defective part or unit. To obtain factory warranty service, please contact an authorized Hayman Safe dealer. Authorization must be received from Hayman Safe Company prior to performance of any service which will be submitted under warranty.

Improper installation, use, lack of proper maintenance or accidental damage will nullify this warranty. No other warranty, expressed or implied, is offered. This warranty cannot be changed, modified, enlarged or altered without direct written consent from Hayman Safe Company. Hayman Safe Company is not responsible for consequential damage, incidental expenses or personal injury. This warranty gives you specific legal rights, which vary from state to state.

THE HAYMAN LIFETIME GUARANTEE

Hayman Safe Company will, at our option, replace or repair any of our standard production safes equipped with boltwork mechanism that are ever successfully burglarized. Call an authorized Hayman Safe dealer to claim this warranty. We will require a copy of the police report. The burglarized safe must be returned to us, freight paid. We will repair or replace the safe to you, freight collect.

THE POLYMER FLOOR SAFE GUARANTEE

Hayman Safe Company will, at our option, replace or repair any of our polymer-body floor safes that are ever successfully burglarized. All polymer-body safes damaged by fire, or damaged by seepage through the body will, at our option be repaired or replaced. Improper installation can nullify this guarantee. Call an authorized Hayman Safe Company dealer to claim this warranty. We will require a copy of the police or fire department report. The burglarized safe must be returned to us, freight paid. We will repair or replace the safe to you, freight collect.

GUN SAFE GUARANTEE

Burglary Protection

Hayman Safe Company will, at our option, replace or repair any standard gun safe that is ever successfully burglarized. To claim this guarantee, ship the burglarized safe and a copy of the police report to us. We will repair or replace the safe and return it to you. Improper installation can nullify this guarantee.

GUN SAFE FIRE GUARANTEE

Hayman Safe Company will, at our option, replace or repair any standard gun safe if its contents are ever damaged by a house fire. To claim this guarantee, ship the fire damaged safe and a copy of the fire department report to us. We will repair or replace the safe and return it to you. Improper installation can nullify this guarantee.

HAYMAN SAFE T-10 SECURITY LABEL

For over 50 years Hayman Safe Company has been building security containers for commercial, industrial and residential use. Our leading designs have influenced the marketplace by improving protection from forced entry and providing increased management of valuables.

During this time, we have seen several of our designs under-rated when being compared to other manufacturers by national testing laboratories due to the attempt to place very different safes into a single category.

We are providing a Real-World Burglary Label that will assure the consumer of the level of protection they are actually purchasing, without embedded cost and testing fees.

Please visit our website for a full description of the Hayman Safe Company T-10 Security Test https://www.haymansafe.com/wp-content/uploads/2024/11/HSC-T-10-test-description-11-19-24.pdf



